This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

 COPY MARKS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

FIG. 1 CONVENTIONAL ART

ATIP FRAME(7x42 WOBBLE CYCLE)




FIG. 2 CONVENTIONAL ART




FIG. 3 CONVENTIONAL ART




FIG. 4

CONVENTIONAL ART

SIGNAL-FULL

(FC) SIGNAL-8PF 401 SLICER 402 THIRD FREQUENCY-DIVIDER (÷2) 409 PHASE COMPARATOR & LPF 403 FREQUENCY DIVIDER FOURTH 410 (86÷) 00 404 PREQUENCY DEMODULATOR 405 WRT-CLK FIFTH
FREQUENCY
DIVIDER
(÷7) DEMODULATOR PCLK SYNCHRONOUS
SIGNAL
DETECTING UNIT BI-PHASE SIXTH FREQUENCY DIVIDER (÷2) 407 406 412 DCLK <u>S</u> DECODER SS 5 CRC FLAG 퓌 408 ID_OK SYNCH ID FLAG

FIG. 5 CONVENTIONAL ART




FIG. 6





FIG. 7






FIG. 9




FIG. 10

